

09448356

Welcome to STN International! Enter x:x

LOGINID:sssptal202sxq

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Apr 08 "Ask CAS" for self-help around the clock
NEWS 3 Jun 03 New e-mail delivery for search results now available
NEWS 4 Aug 08 PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 5 Aug 19 Aquatic Toxicity Information Retrieval (AQUIRE)
now available on STN
NEWS 6 Aug 26 Sequence searching in REGISTRY enhanced
NEWS 7 Sep 03 JAPIO has been reloaded and enhanced
NEWS 8 Sep 16 Experimental properties added to the REGISTRY file
NEWS 9 Sep 16 CA Section Thesaurus available in CAPLUS and CA
NEWS 10 Oct 01 CASREACT Enriched with Reactions from 1907 to 1985
NEWS 11 Oct 24 BEILSTEIN adds new search fields
NEWS 12 Oct 24 Nutraceuticals International (NUTRACEUT) now available on STN
NEWS 13 Nov 18 DKILIT has been renamed APOLLIT
NEWS 14 Nov 25 More calculated properties added to REGISTRY
NEWS 15 Dec 04 CSA files on STN
NEWS 16 Dec 17 PCTFULL now covers WP/PCT Applications from 1978 to date
NEWS 17 Dec 17 TOXCENTER enhanced with additional content
NEWS 18 Dec 17 Adis Clinical Trials Insight now available on STN
NEWS 19 Jan 29 Simultaneous left and right truncation added to COMPENDEX,
ENERGY, INSPEC
NEWS 20 Feb 13 CANCERLIT is no longer being updated
NEWS 21 Feb 24 METADEX enhancements
NEWS 22 Feb 24 PCTGEN now available on STN
NEWS 23 Feb 24 TEMA now available on STN
NEWS 24 Feb 26 NTIS now allows simultaneous left and right truncation
NEWS 25 Feb 26 PCTFULL now contains images
NEWS 26 Mar 04 SDI PACKAGE for monthly delivery of multifile SDI results
NEWS 27 Mar 19 APOLLIT offering free connect time in April 2003
NEWS 28 Mar 20 EVENTLINE will be removed from STN
NEWS 29 Mar 24 PATDPAFULL now available on STN
NEWS 30 Mar 24 Additional information for trade-named substances without
structures available in REGISTRY
NEWS 31 Mar 24 Indexing from 1957 to 1966 added to records in CA/CAPLUS
NEWS 32 Apr 11 Display formats in DGENE enhanced
NEWS 33 Apr 14 MEDLINE Reload
NEWS 34 Apr 17 Polymer searching in REGISTRY enhanced

NEWS EXPRESS April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT
MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

4/21/2003

09448356

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:29:41 ON 21 APR 2003

=> file reg

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 09:29:47 ON 21 APR 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 APR 2003 HIGHEST RN 503529-60-0

DICTIONARY FILE UPDATES: 20 APR 2003 HIGHEST RN 503529-60-0

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> s 22554-56-9/rn

L1 1 22554-56-9/RN

=> d l1

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS

RN 22554-56-9 REGISTRY

CN Stigmast-5-en-3-ol, docosanoate, (3.beta.)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN .beta.-Sitosterol, docosanoate (6CI)

CN Stigmast-5-en-3.beta.-ol, docosanoate (8CI)

OTHER NAMES:

CN .beta.-Sitosterol behenate

FS STEREOSEARCH

4/21/2003


09448356

MF C51 H92 O2

CI COM

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, TOXCENTER, USPATFULL
(*File contains numerically searchable property data)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

7 REFERENCES IN FILE CA (1962 TO DATE)
7 REFERENCES IN FILE CAPLUS (1962 TO DATE)
2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> FIL REGISTRY

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	2.88	3.09

FILE 'REGISTRY' ENTERED AT 09:31:32 ON 21 APR 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 APR 2003 HIGHEST RN 503529-60-0
DICTIONARY FILE UPDATES: 20 APR 2003 HIGHEST RN 503529-60-0

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

4/21/2003

09448356

=> S 22554-56-9/RN

L2 1 22554-56-9/RN

=> FIL CHEMLIST

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.40	3.49

FILE 'CHEMLIST' ENTERED AT 09:31:34 ON 21 APR 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

FILE COVERS 1979 TO 18 APR 2003 (20030418/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification.

TSCA Inventory Tape information is current through January 6, 2003 as provided by the January 2003 version from NTIS.

Updates to the Philippines Inventory of Chemicals and Chemical Substances are now available. The updates are current through December 2002.

Updates to the Taiwan Toxic Chemical Substances List are now available. The updates are current through July 2002.

New additions to the file:

- High Production Volume (HPV) chemicals lists of Australia, ICCA, ECD and the United States (HELP HPV)
- Screening Information Data Set (SIDS) list (HELP SIDS)
- Substances that are classified as CERCLA Hazardous Substances in the Code of Federal Regulations (HELP CERHS)
- Known health hazards of specific chemicals (HELP HHAZ)
- Chemical and physical property data (HELP PRP)
- Information on storage, spill disposal, and environmental fate (HELP STOR)
- International information that may be required for the transportation, packaging, and labeling of chemicals (HELP TPL)
- German Water Hazard Class Substance List (HELP WGK).
- State of Louisiana Right-to-Know List of Extremely Hazardous Substances (HELP SLA)
- State of Minnesota Right-to-Know Hazardous Substances List (HELP SMN)
- Inventory Update Rule lists for 1986, 1990, 1994, and 1998 (HELP IUR)
- Violations to Miscellaneous Regulations or Advisory Lists (HELP VIO)

=> SET NOTICE 1 DISPLAY

NOTICE SET TO 1 U.S. DOLLAR FOR DISPLAY COMMAND
SET COMMAND COMPLETED

=> S L2

L3 0 L2

=> ENTER ? FOR HELP AT ANY PROMPT

4/21/2003

09448356

=> DISPLAY L3

L3 HAS NO ANSWERS

DISPLAY QUERY? (Y)/N:N

=> SET NOTICE LOGIN DISPLAY

NOTICE SET TO OFF FOR DISPLAY COMMAND
SET COMMAND COMPLETED

=>

=>

=> s docosahexanoic acid

0 DOCOSAHEXANOIC

72189 ACID

L4 0 DOCOSAHEXANOIC ACID

(DOCOSAHEXANOIC (W) ACID)

=> s docosahehexaenoic acid

5 DOCOSAHEXAENOIC

72189 ACID

L5 5 DOCOSAHEXAENOIC ACID

(DOCOSAHEXAENOIC (W) ACID)

=> d 15 1-2

L5 ANSWER 1 of 5 CHEMLIST COPYRIGHT (C) 2003 ACS

AN 252270 CHEMLIST

RN 25167-62-8

CN 4,7,10,13,16,19-docosahehexaenoic acid

DHE

Docosahehexaenoic acid

CBI Public

FA RN CAS Registry Number

EECL European Community Legislation

==== European Community Regulations ====

EECL European Community Legislation

Official Journal of the European Communities, No L 132 (1 Jun 1996).

Publication of Commission Decision 96/335/EC of 8 May 1996 establishing

an inventory and a common nomenclature of ingredients employed in

cosmetic products in accordance with Article 6(1) of the cosmetic

products Directive 76/768/EEC. This substance is listed in Section I.

INCI Name: **DOCOSAHEXAENOIC ACID**

Function: antistatic agents

L5 ANSWER 2 of 5 CHEMLIST COPYRIGHT (C) 2003 ACS

AN 218565 CHEMLIST

CN Eicosapentaenoic acid, mixture with **docosahehexaenoic acid**, methyl ester (AICS)

FS AUSTRALIA: AICS

CBI Public

RLN AICS No.: 51-08-1A

INV On AICS

Australian Inventory of Chemical Substances, June 1996 Ed.

FA RLN Regulatory List Number

INV Inventory Status

4/21/2003

09448356

=> d 15 3-5

L5 ANSWER 3 of 5 CHEMLIST COPYRIGHT (C) 2003 ACS
AN 218453 CHEMLIST
CN Eicosapentaenoic acid, mixture with **docosahexaenoic acid**, ethyl ester (AICS)
FS AUSTRALIA: AICS
CBI Public
RLN AICS No.: 51-07-0A
INV On AICS
Australian Inventory of Chemical Substances, June 1996 Ed.
FA RLN Regulatory List Number
INV Inventory Status

L5 ANSWER 4 of 5 CHEMLIST COPYRIGHT (C) 2003 ACS
AN 218448 CHEMLIST
CN Eicosapentaenoic acid, mixture with **docosahexaenoic acid**, triglyceride (AICS)
FS AUSTRALIA: AICS
CBI Public
RLN AICS No.: 50-84-0A
INV On AICS
Australian Inventory of Chemical Substances, June 1996 Ed.
FA RLN Regulatory List Number
INV Inventory Status

L5 ANSWER 5 of 5 CHEMLIST COPYRIGHT (C) 2003 ACS
AN 218308 CHEMLIST
RN 2566-90-7
CN 4,7,10,13,16,19-**Docosahexaenoic acid**, methyl ester, (all-Z)- (AICS)
4,7,10,13,16,19-**Docosahexaenoic acid**, methyl ester, (4Z,7Z,10Z,13Z,16Z,19Z)-
Methyl 4,7,10,13,16,19-cis-docosahexanoate
Methyl all-cis-4,7,10,13,16,19-docosahexanoate
Methyl cis,cis,cis,cis,cis,cis-docosa-4,7,10,13,16,19-hexanoate
Methyl docosahexanoate
FS AUSTRALIA: AICS
CBI Public
INV On AICS
Australian Inventory of Chemical Substances, June 1996 Ed.
FA RN CAS Registry Number
INV Inventory Status

=> FILE REG

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	33.72	37.21

FILE 'REGISTRY' ENTERED AT 09:36:33 ON 21 APR 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file

4/21/2003

09448356

provided by InfoChem.

STRUCTURE FILE UPDATES: 20 APR 2003 HIGHEST RN 503529-60-0
DICTIONARY FILE UPDATES: 20 APR 2003 HIGHEST RN 503529-60-0

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP
PROPERTIES for more information. See STNote 27, Searching Properties
in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> STR 25167-62-8

25167-62-8 MAY NOT BE USED AS A MODEL
COMPONENTS
112-85-6 C22 H44 O2

ENTER NAME OF STRUCTURE TO BE RECALLED (NONE):END

=>

THIS FEATURE IS NOT AVAILABLE FOR THE SELECTED CAS RN

=> FILE REG

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.40	37.61

FILE 'REGISTRY' ENTERED AT 09:36:50 ON 21 APR 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 20 APR 2003 HIGHEST RN 503529-60-0
DICTIONARY FILE UPDATES: 20 APR 2003 HIGHEST RN 503529-60-0

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP
PROPERTIES for more information. See STNote 27, Searching Properties
in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

4/21/2003

09448356

=> STR 25167-62-8

25167-62-8 MAY NOT BE USED AS A MODEL
COMPONENTS
112-85-6 C22 H44 O2

ENTER NAME OF STRUCTURE TO BE RECALLED (NONE):END

=>

THIS FEATURE IS NOT AVAILABLE FOR THE SELECTED CAS RN

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.40

38.01

FILE 'CAPLUS' ENTERED AT 09:37:31 ON 21 APR 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Apr 2003 VOL 138 ISS 17

FILE LAST UPDATED: 20 Apr 2003 (20030420/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 15

6863 DOCOSAHEXAENOIC

3611016 ACID

L6

6234 DOCOSAHEXAENOIC ACID

(DOCOSAHEXAENOIC(W)ACID)

=> s 15 and sterol

6863 DOCOSAHEXAENOIC

3611016 ACID

6234 DOCOSAHEXAENOIC ACID

(DOCOSAHEXAENOIC(W)ACID)

20790 STEROL

L7

57 L5 AND STEROL

=> d 17 1-4 ibib hitstr abs

4/21/2003

09448356

L7 ANSWER 1 OF 57 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2003:100805 CAPLUS
TITLE: Modulation of adipocyte determination and
differentiation-dependent factor 1 by selected
polyunsaturated fatty acids
AUTHOR(S): Ding, Shih-Torng; McNeel, Ronald L.; Mersmann, Harry
J.
CORPORATE SOURCE: USDA/ARS Children's Nutrition Research Center,
Department of Pediatrics, Baylor College of Medicine,
Houston, TX, 77030-2600, USA
SOURCE: In Vitro Cellular & Developmental Biology: Animal
(2002), 38(6), 352-357
CODEN: IVCAED; ISSN: 1071-2690
PUBLISHER: Society for In Vitro Biology
DOCUMENT TYPE: Journal
LANGUAGE: English

AB The transcription factor, **sterol** regulatory binding protein 1c
(also called adipocyte detn. and differentiation-dependent factor 1),
stimulates transcription of the messenger ribonucleic acids (mRNAs) for
lipid synthesis enzymes. Hepatic ADD1 transcripts are reduced by
polyunsatd. fatty acids (PUFAs). The ADD1 transcripts are expressed to a
considerable extent in porcine adipocytes. Consequently, it was of
interest to examine the effects of several PUFAs on ADD1 in a tissue
wherein several long-chain fatty acids (FAs) increase adipocyte
differentiation. The effects of arachidonic acid (C20:4),
docosahexaenoic acid (C22:6), and cis 9, trans
11-conjugated linoleic acid (9,11-CLA) on differentiating preadipocyte
ADD1 mRNA and protein and on preadipocyte differentiation were detd.
Porcine stromal-vascular cells were plated in serum-contg. medium and
differentiated in serum-free medium contg. insulin, hydrocortisone, and
transferrin .+-. an individual FA. After 24-h differentiation .+-. FA,
plates were stained with Oil Red O as an indicator of differentiation or
total RNA was extd. or a nuclear fraction was isolated for protein
measurement. Addn. of C20:4 or 9,11-CLA increased the no. of Oil Red
O-stained cells or the Oil Red O-stained material, whereas C22:6 did not.
Addn. of C20:4, C22:6, or 9,11-CLA decreased the concn. of the mRNA and
protein for ADD1. Thus, although all three FAs decreased the ADD1 mRNA
and protein concns., C20:4 and 9,11-CLA increased differentiation,
measured by Oil Red O staining, whereas C22:6 did not. The data suggest
that the regulation of differentiation and mRNAs by individual FAs may
involve distinct mechanisms.

REFERENCE COUNT: 51 THERE ARE 51 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 2 OF 57 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2003:83472 CAPLUS
TITLE: Variation in lipid classes and fatty acid composition
of salmon shark (*Lamna ditropis*) liver with season and
gender
AUTHOR(S): Jayasinghe, Chamila; Gotoh, Naohiro; Wada, Shun
CORPORATE SOURCE: Department of Food Science and Technology, Tokyo
University of Fisheries, 4-5-7, Konan, Minato-ku,
Tokyo, 108-8477, Japan
SOURCE: Comparative Biochemistry and Physiology, Part B:
Biochemistry & Molecular Biology (2003), 134B(2),
287-295
CODEN: CBPBB8; ISSN: 1096-4959
PUBLISHER: Elsevier Science Inc.
DOCUMENT TYPE: Journal

4/21/2003

09448356

LANGUAGE: English

AB The influence of season and gender on lipid content, lipid classes, and fatty acid compns. was assessed in livers of salmon shark (*Lamna ditropis*), caught in the Pacific Ocean. No significant difference in the hepatosomatic index was noted with season, though the lipid content was significantly higher ($P < 0.05$) in winter. Triacylglycerol (TAG) was identified as the predominant lipid class (78.5-82.0%), followed by **sterol** esters (5.7-9.1%) and hydrocarbons (3.4-5.4%). No significant differences were obsd. in TAG compn. with respect to the season or gender. However, diacylglyceryl ether contents were significantly higher ($P < 0.05$) in winter (3.8-5.3%) than those obtained in summer (1.3-1.1%). Polyunsatd. fatty acids constituted the major fatty acid class of salmon shark total liver lipid and **docosaehexaenoic acid** (C22:6n-3) (22.7-28.4%) was the most abundant fatty acid which was significantly lower ($P < 0.05$) in winter. These results suggested that lipid characteristics of salmon shark liver were influenced by season, but not by gender.

L7 ANSWER 3 OF 57 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2003:53022 CAPLUS

TITLE: Essential fatty acid synthesis and its regulation in mammals

AUTHOR(S): Nakamura, M. T.; Nara, T. Y.

CORPORATE SOURCE: Department of Food Science and Human Nutrition,
University of Illinois at Urbana-Champaign, Urbana,
IL, 61801, USA

SOURCE: Prostaglandins, Leukotrienes and Essential Fatty Acids
(2003), 68(2), 145-150
CODEN: PLEAEU; ISSN: 0952-3278

PUBLISHER: Elsevier Science Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

AB The tissue content of highly unsatd. fatty acids (HUFA) such as arachidonic acid and **docosaehexaenoic acid** is maintained in a narrow range by feedback regulation of synthesis. Delta-6 desaturase (D6D) catalyzes the first and rate-limiting step of the HUFA synthesis. Recent identification of a human case of D6D deficiency underscores the importance of this pathway. **Sterol** regulatory element binding protein-1c (SREBP-1c) is a key transcription factor that activates transcription of genes involved with fatty acid synthesis. We recently identified **sterol** regulatory element (SRE) that is required for activation of the human D6D gene by SREBP-1c. Moreover, the same SRE also mediates the suppression of the D6D gene by HUFA. The identification of SREBP-1c as a key regulator of D6D suggests that the major physiol. function of SREBP-1c in liver may be the regulation of phospholipid synthesis rather than triglyceride synthesis. Peroxisome proliferators (PP) induce fatty acid oxidn. enzymes and desaturases in rodent liver. However, the induction of desaturases by PP is slower than the induction of oxidn. enzymes. This delayed induction may be a compensatory reaction to the increased demand of HUFA caused by increased HUFA oxidn. and peroxisome proliferation in PP administration. Recent studies have demonstrated a crit. role of peroxisomal .beta.-oxidn. in DHA synthesis, and identified acyl CoA oxidase and D-bifunctional protein as the key enzymes.

REFERENCE COUNT: 73 THERE ARE 73 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 4 OF 57 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2002:973882 CAPLUS

4/21/2003

09448356

DOCUMENT NUMBER: 138:152676
TITLE: Macronutrient innovations: the role of fats and sterols in human health
AUTHOR(S): Li, Duo; Sinclair, Andrew J.
CORPORATE SOURCE: Department of Food Science, Hangzhou University of Commerce, Hangzhou, 310035, Peop. Rep. China
SOURCE: Asia Pacific Journal of Clinical Nutrition (2002), 11(Suppl.), S155-S162
CODEN: APJNFQ; ISSN: 0964-7058
PUBLISHER: Blackwell Publishing Asia Pty Ltd.
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English

AB A review. Dietary intakes of fats and sterols play crit. roles in human health. High proportions of satd. fats, which increase blood cholesterol levels, are mainly found in animal fats and some plant oil (cocoa butter, palm oil). The dominant polyunsatd. fatty acid (PUFA) in Western diets is linoleic acid (LA; C18:2n-6), an essential fatty acid commonly found in vegetable seed oils. This is the parent fatty acid of n-6 series of PUFA, which can be converted in vivo to C20 and C22 n-6 long-chain (LC) PUFA. The .alpha.-linolenic acid (ALA; C18:3n-3) is less abundant than LA and is another essential fatty acid. ALA is also present in some vegetable oils such as perilla, flaxseed, canola, soybean and walnut oils. ALA is the precursor of C20 and C22 n-3 LC PUFA. Sterols are widely distributed in animal and plant tissues, with cholesterol being the major **sterol** in animal tissue and .beta.-sitosterol, campesterol and stigmasterol in plants. Increased dietary intakes of satd. fat and (to a lesser extent) of cholesterol, raise blood plasma or serum total and low-d. lipoprotein (LDL)-cholesterol, while PUFA decrease these levels. Plasma or serum levels of lipids and lipoprotein lipids can also be decreased by plant sterols (phytosterols) and diacylglycerols (DAG). Conjugated linoleic acid (CLA, cis-9, trans-11-C18:2) has some anticancer and antidiabetic activities. Fat in the DAG form has also some antiobesity effects. The n-3 PUFA have beneficial effects on increased heart rate variability, decreased risk of stroke, decrease of both systolic and diastolic blood pressure, and may be effective in managing depression in adults. The .gamma.-linolenic acid (GLA) and phytosterols have anti-inflammatory activities. The GLA, when combined with **docosahexaenoic acid** (DHA, C22:6n-3), has beneficial effects in hyperactive children.

REFERENCE COUNT: 104 THERE ARE 104 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT